WEBINAR WEDNESDAYS



Wednesday, October 13, 2020

SEXUAL ASSAULT INVESTIGATIONS

Presented by:

Samantha Mendez

Forensic Nurse Educator HonorHealth Forensic Nurse Examiners

&

Angela Rose

Director of training New Life Center

Distributed by:

ARIZONA PROSECUTING ATTORNEYS' ADVISORY COUNCIL 3838 N. Central Ave., Suite 850
Phoenix, Arizona 85012

ELIZABETH BURTON ORTIZ EXECUTIVE DIRECTOR

 Fill in information below not completed by Physician or SANE. Also complete a Laboratory Analysis Request Form. If clothing not collected and packaged by Medical-Forensic examiner: Collect and place the patient's AIR-DRIED garments that may contain evidence (especially semen), in separate clean paper bags, seal and initial for submission to the Crime Laboratory. To obtain the best results from an evaluation of this evidence, a brief summary of the alleged incident MUST be submitted with the evidence and the "Laboratory Analysis Request Form" form. EXAMINING PHYSICIAN OR SANE, COMPLETE THE FOLLOWING: 						
	ENCY: Phoenix	CITY: Phoenix		COUNTY: Maricopa		AGENCY REPORT NUMBER:
						123
1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -			RST,	MIDDLE (If NONE, Check Box)		DATE OF BIRTH: (mm/dd/yy)
	Testpatient, Donotdelete			A ☐ None		01/18/90
DAT	E OF ASSAULT: (mm/dd/yy)	"Today" - 6/1	1/2020	DATE OF EXAM: (mm/dd/yy) 06/11/2		
TIME	E OF ASSAULT: (24 hour clo	ck) "Around 2 a	m"	TIME OF EXAM :(24 hour clock)		2
	ILITY WHERE EXAM PERFO					
	cility: Family Advocacy Cent		hoenix County: Mar			
INVE	ESTIGATING OFFICER: L Braff, Z	AST NAME,	FIRS	ST NAME,	МІ	ID #: 123
EVI	DENCE COLLECTION	AND SEALIN	G: TO BE COM	PLETED BY EXAMI	NING PHYS	ICIAN OR SANE
	CHECK A	ALL ITEMS TH	AT ARE COLLEC	TED:	LIST C	LOTHING COLLECTED:
	Step 1 - Debris Collecti	on (describe)	⊠ Step 6 - Ana		short	
			· •	oic Hair Combings	shirt	<u> </u>
	Step 2 - Oral Swabs			Step 8 - External Genital Swabs Step 9 - Vaginal Swabs		
	Step 3 - Buccal Swabs	Sure to take (Step 10 - Vaginal Swabs Step 10 - Vaginal Aspirate			
	Step 4 - Body Surface Scircumoral, neck, breasts, p					
	Step 5 - Body Surface S		Step 12 - Underpants or Diaper		☐ Chai	nging Sheet
	,	Step 13 - B		or Other:	⊠ Urin	e Collected (if indicated)
		applies to the Blo	od Collection Tube (ONLY. If expired, REPLA	CE with the sa	me type of tube from
1.	NOTE: Expiration date a hospital stock.			LICTIONS Collect if indi	cated.	
1.	hospital stock. Refer to the enclosed er ALL SWABS MUST BE or air dry to complete pro	DRIED IMMEDI. ocess.	ATELY AFTER COL	LECTION. Preferred me	thod for drying	is using a swab drying box
	hospital stock. Refer to the enclosed er ALL SWABS MUST BE or air dry to complete pro Envelope Sealing Instructure a. Place samples in (not scotch tape b. Person sealing to	DRIED IMMEDIA ocess. ctions: DO NOT n appropriate env). NOTE SPECIFIC he envelopes sha	ATELY AFTER COL MOISTEN FLAPS To the lope. Seal each incomment in the color of the local transfer and the local transfer and REI MOISTEN FLAPS TO THE LOCAL TRANSFER TO THE LO	LECTION. Preferred me	ear packing tape HAIR, AND BLO al. al inside kit.)	e OR HOSPITAL LABEL OD ENVELOPES. If URINE collected, put
2. 3.	hospital stock. Refer to the enclosed er ALL SWABS MUST BE or air dry to complete processing Instruction a. Place samples in (not scotch tape b. Person sealing the Put BLOOD SAMPLE in a separate sealed envelopes (excoriginal copy of report (in a separate sealed excoriginal copy of report (in a sealed excoriginal copy of report (in	DRIED IMMEDIA cocess. ctions: DO NOT n appropriate env). NOTE SPECIFIC the envelopes share separate sealurelope and REFR tept blood and unicude ALL pages	MOISTEN FLAPS To velope. Seal each income seal each income seal each income seal each income seal each envelope and REINGERATE or FREEZ ine) including the origon whether used or no	ILECTION. Preferred me TO SEAL dividual envelope with cle TIONS ON DEBRIS, PUBIC I Is on the tape or label sea FRIGERATE. (Do not sea ZE (as required by agency).	ear packing tape HAIR, AND BLO al. al inside kit.) (Do not seal in e pouched bag, g tape. Place in	e OR HOSPITAL LABEL OD ENVELOPES. If URINE collected, put naide kit.) along with the completed
2. 3. 4. 5.	hospital stock. Refer to the enclosed er ALL SWABS MUST BE or air dry to complete processes and the processes and the second of	DRIED IMMEDIA cocess. ctions: DO NOT n appropriate env). NOTE SPECIFIC the envelopes share a separate seal relope and REFR cept blood and uri nclude ALL pages a seal. Place the	MOISTEN FLAPS To velope. Seal each income seal each income seal each income seal each income seal each end envelope and Reside each envelope each envelope each envelope each envelope each envelope each each envelope each each envelope each envelope each each envelope each each envelope each each envelope	LECTION. Preferred me TO SEAL dividual envelope with cle TIONS ON DEBRIS, PUBIC II Is on the tape or label sea FRIGERATE. (Do not sea ZE (as required by agency). Iginal envelope into double ot). Seal with clear packing	ear packing tape HAIR, AND BLO al. al inside kit.) (Do not seal in e pouched bag, g tape. Place in	e OR HOSPITAL LABEL OD ENVELOPES. If URINE collected, put naide kit.) along with the completed
2. 3. 4. 5.	hospital stock. Refer to the enclosed er ALL SWABS MUST BE or air dry to complete processor and the p	DRIED IMMEDIA cocess. ctions: DO NOT n appropriate env). NOTE SPECIFIC the envelopes shat a separate seal relope and REFR ept blood and un colude ALL pages seal. Place the EZE clothing and	MOISTEN FLAPS To velope. Seal each in the seal each in the seal each in the seal each in the seal each end end envelope and REI (IGERATE or FREEZ ine) including the original seal each envelope and seal each envelope and reign envelope envelope and reign envelope e	LECTION. Preferred me TO SEAL dividual envelope with cle TIONS ON DEBRIS, PUBIC I Is on the tape or label sea FRIGERATE. (Do not sea E (as required by agency). Iginal envelope into double ot). Seal with clear packing custody form in the outside	ear packing tape HAIR, AND BLO al. al inside kit.) (Do not seal in e pouched bag, g tape. Place in	e OR HOSPITAL LABEL OD ENVELOPES. If URINE collected, put nside kit.) along with the completed itials, date and time
2. 3. 4. 5. CH	hospital stock. Refer to the enclosed er ALL SWABS MUST BE or air dry to complete processes and the processes and the second of	DRIED IMMEDIA cocess. ctions: DO NOT n appropriate env). NOTE SPECIFIC the envelopes shat a separate seal relope and REFR ept blood and un colude ALL pages seal. Place the EZE clothing and	MOISTEN FLAPS To velope. Seal each in the control of the could place their initial end envelope and REISTERATE or FREEZ ine) including the original swhether used or no completed chain of could kit.	LECTION. Preferred me TO SEAL dividual envelope with cle TIONS ON DEBRIS, PUBIC II Is on the tape or label sea FRIGERATE. (Do not sea ZE (as required by agency). Iginal envelope into double ot). Seal with clear packing	ear packing tape HAIR, AND BLO al inside kit.) (Do not seal in e pouched bag, g tape. Place in e pouch.	e OR HOSPITAL LABEL OD ENVELOPES. If URINE collected, put naide kit.) along with the completed
2. 3. 4. 5. CH	hospital stock. Refer to the enclosed er ALL SWABS MUST BE or air dry to complete processor and the p	DRIED IMMEDIA DOCESS. Ctions: DO NOT In appropriate env. In APPROPRIATE SPECIFIC In a separate seal In elope and REFR In ept blood and uniclude ALL pages In seal. Place the EZE clothing and	MOISTEN FLAPS To velope. Seal each in the control of the could place their initial end envelope and REISTERATE or FREEZ ine) including the original swhether used or no completed chain of could kit.	LECTION. Preferred me FO SEAL dividual envelope with cle FIONS ON DEBRIS, PUBIC I Is on the tape or label sea FRIGERATE. (Do not sea E (as required by agency). Iginal envelope into double ot). Seal with clear packing custody form in the outside	ear packing tape HAIR, AND BLO al inside kit.) (Do not seal in e pouched bag, g tape. Place in e pouch.	e OR HOSPITAL LABEL OD ENVELOPES. If URINE collected, put nside kit.) along with the completed itials, date and time
2. 3. 4. 5. CH	hospital stock. Refer to the enclosed er ALL SWABS MUST BE or air dry to complete processor and the p	DRIED IMMEDIA DOCESS. Ctions: DO NOT In appropriate env. In APPROPRIATE SPECIFIC In a separate seal In elope and REFR In ept blood and uniclude ALL pages In seal. Place the EZE clothing and	MOISTEN FLAPS To velope. Seal each in the control of the could place their initial end envelope and REISTERATE or FREEZ ine) including the original swhether used or no completed chain of could kit.	LECTION. Preferred me FO SEAL dividual envelope with cle FIONS ON DEBRIS, PUBIC I Is on the tape or label sea FRIGERATE. (Do not sea E (as required by agency). Iginal envelope into double ot). Seal with clear packing custody form in the outside	ear packing tape HAIR, AND BLO al inside kit.) (Do not seal in e pouched bag, g tape. Place in e pouch.	e OR HOSPITAL LABEL OD ENVELOPES. If URINE collected, put nside kit.) along with the completed itials, date and time
2. 3. 4. 5. CH	hospital stock. Refer to the enclosed er ALL SWABS MUST BE or air dry to complete processor and the p	DRIED IMMEDIA DOCESS. Citions: DO NOT In appropriate env. In A SPECIFIC The envelopes share a separate seal Welope and REFR Sept blood and urinclude ALL pages Seal. Place the EZE clothing and TO FAC Refrigerat	MOISTEN FLAPS To velope. Seal each income seal each income seal each income seal each income seal each end envelope and REISTENT outly place their initial ed envelope and REISTENT or FREEZ ine) including the original including the original incompleted chain of completed chain of complete chain of chain of complete chain of	LECTION. Preferred me FO SEAL dividual envelope with cle FIONS ON DEBRIS, PUBIC I Is on the tape or label sea FRIGERATE. (Do not sea E (as required by agency). Iginal envelope into double ot). Seal with clear packing custody form in the outside	ear packing tape HAIR, AND BLO al inside kit.) (Do not seal in e pouched bag, g tape. Place in e pouch.	e OR HOSPITAL LABEL OD ENVELOPES. If URINE collected, put nside kit.) along with the completed itials, date and time
2. 3. 4. 5. CH	hospital stock. Refer to the enclosed er ALL SWABS MUST BE or air dry to complete processor and the p	DRIED IMMEDIA DOCESS. Citions: DO NOT In appropriate env. In NOTE SPECIFIC In a separate seal Pelope and REFR Sept blood and unclude ALL pages Is seal. Place the EZE clothing and TO FAC Refrigerat	ATELY AFTER COL MOISTEN FLAPS To the lope. Seal each in the could place their initial end envelope and REI (IGERATE or FREEZ ine) including the original includ	CO SEAL dividual envelope with cle frons on DEBRIS, PUBIC I is on the tape or label sea FRIGERATE. (Do not sea E (as required by agency). ginal envelope into double bit). Seal with clear packing custody form in the outsid	ear packing tape HAIR, AND BLO al. al inside kit.) (Do not seal in e pouched bag, g tape. Place in e pouch.	e OR HOSPITAL LABEL OD ENVELOPES. If URINE collected, put nside kit.) along with the completed itials, date and time
2. 3. 4. 5. CH	hospital stock. Refer to the enclosed er ALL SWABS MUST BE or air dry to complete processor and the p	DRIED IMMEDIA DOCESS. Ctions: DO NOT In appropriate env.). NOTE SPECIFIC the envelopes sha a separate seal relope and REFR tept blood and unaclude ALL pages seal. Place the EZE clothing and TO FAC Refrigerat To use: SM	MOISTEN FLAPS To velope. Seal each in the seal each in the seal each in the seal each in the seal each end envelope and REI (IGERATE or FREEZ ine) including the original seal each envelope and REI (IGERATE or FREEZ ine) including the original each envelope and the seal each envelope and REI (Inc.) including the original each envelope and the seal each envelope and the s	LECTION. Preferred me FO SEAL dividual envelope with cle FIONS ON DEBRIS, PUBIC I Is on the tape or label sea FRIGERATE. (Do not sea E (as required by agency). ginal envelope into double bt). Seal with clear packing custody form in the outside DATE: 06/11/20	ear packing tape HAIR, AND BLO al. al inside kit.) (Do not seal in e pouched bag, g tape. Place in e pouch.	e OR HOSPITAL LABEL OD ENVELOPES. If URINE collected, put nside kit.) along with the completed itials, date and time

Yellow - Law Enforcement

Chain of Custody

Pink - Hospital/facility

INSTRUCTIONS TO THE INVESTIGATING OFFICER:

Distribution:

White - Crime Lab

STATE OF ARIZONA

SEXUAL ASSAULT EXAMINATION REPORT

Agency Name: *Phoenix*Agency Report #: 123
Medical Record #: 20200498

Patient Name: *Testpatient, Donotdelete*Date of Birth: *01/18/90* Date of Exam: *06/11/20*

, , , , , , , , , , , , , , , , , , , ,		(Name of Examiner)		
to perform a medical forensic examination, permission to release of copies of the comp	provide treatment, o plete report to law e	collect evidence, and photograph nforcement for purposes of conti	n injuries. I also give nuing an investigation	1.
1 1				
Date Signature of Patient, Pare	nt, or Guardian	Sign	ature of Witness	
If patient is child, who accompanied child fo	r exam? -/- Name	Relationship/Title	e/Agency	
HISTORY AND PHYSICAL EXAMI	NATION:	Exam beginning time: 12	12	
Date of last menses (mm/dd/yy): "2017"	depression, I don't	es ☐ No ☐ Unknown of exam (Collect tampon or pad as	evidence.)	
	Patient 🔲 Guardia			
D. Toodait Hotory.		20 Time of Assault: "Around 2 an	n"	
me, his penis in my vagina. He kissed me. I t bathroom and it burns to pee. I don't know if	he did anything else	e while I was passed out."?		
Did the penis penetrate: Was there digital penetration? Was penetration attempted, but unsuccessful? Was there oral – genital/anal contact? Was there use of foreign object?	Not Known □ Not Known □ Not Known □ Not Known □ Not □		☐ No ☐ No ☐ No ☑ Not Known ☐] No
•	assailant(s): M	Ethnicity of assailant(s): "V	Vhite"	
Does patient know assailant(s)? ↓☐ No ☑ Y	es If yes, how? "M	ly friend's friend"		
Examiner's Signature:		Title: BSN, RN, SANE-A		

Patient Name: Testpat	ient, Donotdelet	e	Agency Name: PHOENIX		
Date of Examination: 0	6/11/20			Agency Report #: 123	
Prior to exam/evidence	e collection has	the patient: (If exam is	within 120 hour	rs, indicate number of times for each.)	■ None Apply
	Showered		☐ Douched	☐ Brushed teeth / used mouthw	ash / flossed (circle)
"Once"	Dathad	with urination ☐ Changed clothes	☐ Vomited	☐ Had food / drank / chewed gu	m (circle)
☐ Defecated ☐	Bathed	☐ Changed clothes	□ voinited	riad lood / draink / chewed gu	in (ditole)
Condition of patient's	clothing: (Descri	be which article(s) of clo	othing and locat	ion of findings.)	□ None Apply
	Debris (i.e. grass			an't find my underwear"	
	7 .			Cl Other (evelsia):	
Stained/soiled	_] Torn			☐ Other (explain):	
Since the assault does	the patient hav	e complaints of: {De	scribe complain	ts)	None Apply
1		☐ Pelvic pain	🛚 Painful urin		⊠ Genital pain
	a program	*** A1. da:	See history	a in tr	"Burning"
Headache] Bleeding	Abdominal pain	☐ Other (expl	anı).	
Other than the assault	, has the patient l	had other sexual conta	ct in the past 12	20 hours (5 days)? ⊠ No ☐ Yes	
If Yes, indicate: Date:	Time: Form of	of contraception used:			
Describe:					
C. Physical Exar	mination and	Evidence Collect	ion: S	pecimens are collected throughout the	ne exam process.
BP: 108/70 P: 89	R: 14 T: 98.0 °	F Height: 5'4'	Weight: 120	☑ lb. □ kg	
Airway: 🛛 Pate	nt 🗌 Other:			_	
100 C C C C C C C C C C C C C C C C C C	ular and Spontaneo		: Clear and equa		
Circulation: Mucous	Membrane Color:	Pink Capillary refill: Le	ss than 2 secon	ds	
Skin: [⊠ Warm 🖾 Dry	☐ Cool ☐ Moist ☐ Ot	ther:		
Neuro: 🛛 Aler	Oriented			equal R: mm L: mm	
Head/Face/Mouth:	No Injury No		Comment:		
Neck:	☐ No Injury No		Comment:		
Chest/Breasts:	⊠ No Injury No		Comment:		
Abdomen:	⊠ No Injury No	oted		/el sounds: ⊠ Present ☐ Absent	
Pelvis:	☐ No Injury No			No injury- RLQ fluoresced	
Upper Extremities:	☐ No Injury No		Comment:		
Fingernails: (Indicate gen				round, smooth edges	
Lower Extremities:	No Injury No		☐ Comment:		
Back/Buttocks:	No Injury No No	oted See Injury Log	Comment:		
Mons Pubis:	No Injury No	oted See Injury Log	Comment:		
Labia Majora:	No Injury No	oted See Injury Log	☐ Comment:		
Labia Minora:	No Injury No	oted See Injury Log	Comment:		
Clitoral Hood:	No Injury No	oted See Injury Log	☐ Comment:		
Posterior Fourchette:	🛛 No Injury No	oted See Injury Log	Comment:		
Fossa Navicularis:	☐ No Injury No	oted See Injury Log	☐ Comment:		
Clitoris:	🛛 No Injury No	oted See Injury Log	Comment:		
Urethral meatus:	No Injury No	oted See Injury Log	☐ Comment:		
Hymen:	☐ No Injury No	oted 🛛 See Injury Log	Comment:		
Vagina:	🛛 No Injury No	oted See Injury Log	Comment:		
Cervix:	☑ No Injury No	oted See Injury Log	Comment:		
Perineal body:	⊠ No Injury No	oted 🔲 See Injury Log	Comment:		
Anus:	⊠ No Injury No	oted See Injury Log	Comment:		
Penis:	☐ No Injury No	oted See Injury Log		Not applicable	
Scrotum:	☐ No Injury No	oted See Injury Log	□ Comment: I	Not applicable	
Examiner's Signatu	re:		Ti	tle: BSN, RN, SANE-A	

Distribution: WI

White - Crime Lab

Yellow - Law Enforcement

Pink - Hospital/facility

Page 2 of 6

Patient Name: Testpatient, Donotdelete			Agency Name: PHOENIX	
Date of Examination: 06/11/20	Agency Report #: 123			
Vaginal wet mount for sperm performed? ☐ Yes	⊠ No)	Present? Yes No Motile? Yes No	
Stage of Sexual Maturity (genital development):			□ III □ IV ☑ V	
If indicated:	No	Yes	Type/Results/Comments, if indicated	
Alternate Light Source used?		\boxtimes	Record fluorescent area(s) on Findings/Injury Log and Body Map(s)	
⊠ Pregnancy test		\boxtimes	☐ Serum ☑ Urine ☑ Negative ☐ Positive	
STI Cultures/Tests	\boxtimes		☐ Blood ☐ Cultures ☐ LCR ☐	
☐ Drug Screen sample(s) collected	\boxtimes		☐ Blood ☐ Urine	
Colposcope images taken:	\boxtimes			
Photographs taken:		\boxtimes	By: S. Mendez	
Treatment Given:	No	Yes	Explain	
STI Prophylaxis:		\boxtimes	Zithromax 1 Gm Oral	
			Ceftriaxone 250 mg IM	
			Prescription given - see Standing Orders	
Pregnancy Prophylaxis:		\boxtimes	Plan B 1.5mg PO	
Other Medications:	\boxtimes			
Discharge Instructions/Follow-up:				
Referral to other Facility/Physician:			_	
	Pregn	ancy	STI Tests	
Other:	on in a	flat af	fact chaking during history of assault	
Additional Notes: 1321 Medical forensic exam completed. Medication teaching done. Discussed patient's option for medication. 1330 Ceftriaxone, azithromycin, and Plan B administered for STI and pregnancy prophylaxis per standing orders. Prescription given for Metronidazole due to history of recent alcohol consumption. 1335 Aftercare instructions reviewed verbally and in writing. Copy given. 1345 Patient discharged to care of victim's advocate.				
Exam Ending Time (Discharge): 1345 Examiner's diagnosis:				
Sexual assault by history Minor physical injury by exam Minor genital injury by exam Evidence of penetration of vulva by exam Crime Lab Results Pending				
Examiner's Signature:			Title: BSN, RN, SANE-A	

Distribution:

White - Crime Lab

Yellow - Law Enforcement

Pink - Hospital/facility

Page 3 of 6

Patient Name: Testpatient, Donotdelete


Date of Examination: 06/11/20

Agency Name: PHOENIX

Agency Report #: 123

Body Map #1 Shade area of injury and assign number to each injury. Describe each injury on Findings/Injury Log.

If additional space is needed to document injury, copy this sheet prior to use.



Examiner's Signature:

Title: BSN, RN, SANE-A

Patient Name: Testpatient, Donotdelete


Date of Examination: 06/11/20

Agency Name: PHOENIX

Agency Report #: 123

Body Map #2 Shade area of injury and assign number to each injury. Describe each injury on Findings/Injury Log.

If additional space is needed to document injury, copy this sheet prior to use.



Distribution:

White - Crime Lab

Yellow - Law Enforcement

Pink - Hospital/facility

Page 5 of 6

Patient Name: Testpatient, Donotdelete

Date of Examination: 06/11/20

Agency Name: PHOENIX

Agency Report #: 123

Findings/Injury Log - Use with the body map to document type, size, shape, and color of injuries. Describe any areas

that fluoresce or body surface areas that were swabbed. If additional space is needed to document injury, copy this sheet prior to use. All measurements should be in centimeters. Description Injury/ Type Finding see legend # below) (EXAMPLE) Red 4.0 cm x 5.0 cm, oval with dried blood present to right lower leg 2 cm below the patella 1. Α CN.P 3 cm x 4 cm blue, purple oval with multiple maroon pinpoints to left neck 1 4 cm linear, red with brown scab to right forearm "My cat scratched me." 2 Α 10 cm x 14 cm area with multiple blue and brown scattered to left inner thigh CN 3 3 cm x 3 cm irregular area with dried, white foreign material, fluoresced with ALS to left pelvis. State 4 F,S Red, stellate present from 5 o'clock to 7 o'clock of fossa navicularis L 5 Linear, red, bright red blood, full thickness transection of hymen at 7 o'clock L 6 Laceration (tear) Surface (body) swab Abrasion Erythema EC Т Tenderness **Ecchymosis** 0 = Other В = Burn Petechiae/Purpura Cut (Incision) Edema = ED Puncture wound PW = F = Fluorescent area Contusion Copy hospital records documenting care received related to this event. These records are to accompany this report. Include nurses' notes and pre-hospital reports: Not applicable ☐ Done ☐ Not obtained Examiner's Name printed: Samantha Mendez Title: BSN, RN, SANE-A Title: BSN, RN, SANE-A

Distribution:

Examiner's Signature:

White - Crime Lab

Yellow - Law Enforcement

Pink - Hospital/facility

Page 6 of 6



Sexual Assault Aftercare Name: **Testpatient, Donotdelete**Date: **06/11/20**

Instructions

MR#: 20200498

structions DR#: 123

Forensic Nurse	Examiner:	Samantha
----------------	-----------	----------

Diagnosis: Sexual assault by history ☐ Physical Assault ☐ Intimate Partner Violence ☐ Other:

Today's Examination:

Examination: A Medical-Forensic Examination was completed to identify and document areas of possible injury, provide care, and collect samples and clothing that may be examined as part of the investigation of your assault. Some of the care provided may include prevention for sexually transmitted diseases and pregnancy as well as recommendation for follow-up care as outlined below.

Evidence Collection: Samples and clothing **may** be examined for evidence. The detective assigned to your case will determine what testing may be required by the crime laboratory on the samples and clothing collected today. Any results of this testing will go directly to the detective assigned to your case and will become part of the legal record of this assault. Please contact the detective with any questions regarding this part of the process.

<u>Photographs</u>: Photographs may have been taken that show the visible injures to your body. If injuries become more visible in the next few days, notify the police department or your Case Detective to see if additional photographs taken are needed.

<u>Sexually Transmitted Infections (STIs)</u>: You are at risk of getting any infections that are transferred through bodily secretions. Today's examination cannot tell if you had a sexually transmitted infection prior to the assault or as a result of the assault. Not all sexually transmitted infections can be prevented. **Additional information is available for you to read in your packet**. It is recommended that you abstain from sexual intercourse or use a condom until your follow-up exam.

You **Did not** have testing today for sexually transmitted diseases. If testing **was** done, call our office at 480-312-6340 after for the results.

You may have received antibiotic medications to attempt to prevent some sexually transmitted infections such as Gonorrhea, Chlamydia, and Trichomonas. Alcohol can cause severe reactions with some antibiotics and can make you very sick. Avoid drinking alcohol or using products that contain alcohol (mouthwash, perfume, liquid medicines) for the next 2-3 days. You received a prescription for antibiotics today. Get the prescription filled as soon as possible. Take as directed

<u>Pregnancy Testing</u>: Preventing pregnancy is often a major concern. The chance of getting pregnant from a single, unprotected intercourse varies. A pregnancy test *Was* done today. *The results were Negative*

Emergency Contraception Pills (ECPs): Emergency Contraception Pills (ECPs), also known as "morning after pills", are effective contraceptives that can be taken within 72-120 hours after unprotected sex. They are birth control pills that are used in a different way. Though not recommended as a regular contraception method, ECPs can reduce the risk of pregnancy by about 75% during the most fertile days of your cycle. ECPs do not interrupt an already established pregnancy. When using ECPs, the medication is taken as soon as possible after unprotected sex (within 3-5 days), and depending on the medication, a second dose is taken 12 hours later. Studies show there are no lasting side effects from ECPs.

You did receive a hormone medication to help prevent the possibility of pregnancy.

After taking this medication you may experience:

o upset stomach (nausea)

breast tenderness

o headache

o vomiting

o dizziness

o fatique or tired

bloated feeling

 disrupted menstrual cycle (your period may come sooner or later than expected)

Tetanus Vaccine: You Did not receive a tetanus vaccine.

Your examination and treatment today was provided on an emergency basis only. This is not a substitute for, or an effort to provide complete medical care. You must let your health care provider check you again. Tell your health care provider about any new or lasting problems. It is impossible to recognize all injuries or illnesses that may result from a sexual and/or physical assault in a single examination. It is possible that no injuries are found.

Medical Direction: **Dr. Charles Finch, D.O.**

If you have questions regarding your examination, please call 480-312-6340.

Name: Testpatient, Donotdelete

Follow-up Care Recommendations:

Counseling: Early counseling is recommended to help prevent lasting complications associated with this type of assault. Your discharge packet contains a list of counseling options for your consideration.

Medical Follow-up: Follow-up examination is recommended in the next 14-21 Days, sooner if problems develop You should be re-evaluated for: Sexually Transmitted Infections. Pregnancy.

Call as soon as possible to schedule an appointment with your doctor or at clinic for testing.

HIV Testing and Prevention Treatment: The risk for transmission of HIV is extremely low. Medications for exposure to HIV must be started within 72 hours. Follow up testing for HIV is recommended for a period of 6 months. You should be tested for HIV now, in 6 weeks, at 3 months and at 6 months for accurate results. You may see your own physician, contact the Maricopa County Public Health STD/HIV Services

602-506-6900, or at NOAH 480-882-4545, or NOAHHELPS.org for an up to date list of Valley-wide locations.

Services available at the Maricopa County Public Health STD/HIV Center include:

- o Complete STD testing and treatment
- o HIV testing and counseling
- o Pregnancy testing

Services available at the NOAH Neighborhood Outreach Access to Health include:

- o Complete STD testing and treatment
- o HIV testing, prophylaxis and prevention
- o Pregnancy testing
- o Family Medicine
- o Pediatric Services
- o Prenatal Services

- o Behavioral Health
- o Psychiatric Services
- Dental Services
- o Nutrition Services
- o Community Resources

Additional Instructions:

Lacerations, Cuts, Abrasions:

	A laceration is an open skin wound that results from overstretching the skin or blunt force trauma (injury).
	There is no skin missing but it is separated and may be jagged or irregular. It will usually bleed.
	A cut is also a separation in the skin or tissue caused by a sharp object, such as a knife, piece of glass or razor blade.
	This type of injury will also bleed.
X	An abrasion, or scrape, occurs when the top few layers of skin are scraped off.

Care of lacerations, cuts, and abrasions:

- o Wash hands before and after touching the area.
- o Keep the wound clean by gently washing with mild soap and water 2 to 3 times each day to decrease chances of infection.
- o If the area has a dressing or band-aid on it, keep it dressed or covered with a band-aid for at least the first two days. Change the dressing if it becomes wet or soiled
- o Elevate the affected area if possible to increase healing.
- o If bleeding starts again, apply pressure directly over the wound with a clean cloth or gauze
- o You may also use a thin layer of antibiotic ointment, such as Bacitracin ointment, on the wound.
- o If your wound was closed using steri-strips, leave these in place for at least 5 to 7 days.

Call your doctor if you have: increased redness or swelling, red streaks coming from the wound, drainage that is not clear coming from the wound (yellow, white, or green), developed a fever or any new or severe symptoms.

<u>Contusions (Bruises)</u>: An injury caused by a blunt object or force. The force of the injury causes blood vessels under the skin to break, which may result in swelling or discoloration of the skin and pain. As it heals, the swelling will decrease and the color may change. Discoloration may not appear until a few days after the injury occurred.

Care of contusions:

- o Apply ice packs for twenty minutes, four times per day for the first two-three days after the injury occurred. Cover the ice pack with a thin cloth to protect skin from cold and further injury.
- o If possible, elevate the area where the contusion is above heart level to decrease swelling.

<u>Call your doctor if you have</u>: severe pain, excessive swelling, numbness or tingling below the injury, inability to move the injured part or new symptoms.

Strangulation: Is the disruption of a person's normal air and blood passage in the neck by hands or an object, such as a rope. Although there may be no visible signs of strangulation, there may be numerous effects from it. Strangulation may cause a sore throat, difficulty swallowing or breathing, ringing of the ears, a raspy or hoarse voice, small broken blood vessels on the neck, face and scalp, reddened eyes, heartburn and feelings of "head rush". If pregnant, a miscarriage may occur. Memory problems, anxiety, insomnia, nightmares, and depression may also occur.

Care following strangulation:

o For comfort, drink extra water for hydration. Cool liquids may also help a sore throat.

o You may have small broken blood vessels on your neck or anywhere on your head. These should heal within a

ew days.

 If you are having anxiety, feeling depressed, having nightmares or insomnia as a result, please consider counseling to assist you with these feelings and to help prevent or decrease the chances of developing posttraumatic stress problems.

<u>Call your doctor if you have</u>: loss of consciousness, lightheadedness, shortness of breath, loss of bodily functions or difficulty swallowing.

Genital / Anal Injuries: May be very painful and may bleed for a day or two. The area heals quickly, usually in 2 or 3 days.

Care of genital and anal injuries:

o Keep the area clean and dry.

o Pat the area dry after urinating.

o Apply ice packs for twenty minutes, four times per day for the first 2 to 3 days after the injury occurred to decrease swelling. Cover the ice pack with a thin cloth to protect skin from cold and further injury.

o Take a sitz bath several times a day. Sit in a small amount of warm water for about 5 minutes and pat the area dry after the bath.

o Use acetaminophen (i.e. Tylenol) or ibuprofen as recommended for pain relief.

<u>Call your doctor if you have</u>: uncontrolled bleeding that is not your period, have pain or difficulty urinating, develop pain that becomes severe, or you develop a fever.

<u>Head Injury (Concussion)</u>: An injury to the brain from a blow to the head or by a fall. It may result in headaches, dizziness, ringing in the ears, double vision, memory changes, personality changes, difficulty concentrating or fatigue. Symptoms may last from days to years.

Care following a head injury:

 A friend or family member should wake you up every two hours during the first night after the head injury occurred. If they cannot awaken you, they should call your doctor.

o Rest for the first few days after the injury. Resume regular activities when you feel able.

O Apply ice packs to the sores area for twenty minutes, four times per day for the first 2 days for comfort. Cover the ice pack with a thin cloth to protect skin from cold and further injury.

o Eat foods such as toast, rice, yogurt and tea if you have an upset stomach.

o Use Tylenol for headache (NOT aspirin)

<u>Call your doctor if you have</u>: difficulty hearing, changes in your vision, a severe headache unrelieved by pain relievers, extreme drowsiness, lose memory of the event (amnesia), vomiting, confusion, trouble with your balance, or problems talking.

I understand the instructions written above and discussed by the Sexual Assault Nurse Examiner.

I have received all of my personal belongings, except those taken as evidence.

Patient or Authorized Representative Signature

Samantha BSN, RN, SANE-A SM

Forensic Nurse Examiner



Sexual Assault Physician's Standing Orders

Patient Name:Testpatient, Donotdelete

Date: 06/11/20 **DOB:** 01/18/90

MR#: 20200498

TIME DONE/INITIALS
1212/SM

☐ Initiate Sexual Assault Care Protocol				
1. Pregnancy Test	☑ Urine ☐ Serum Results: ☐ Positive ☑ Negative	<u>1326/SM</u>		
2. STI Testing	 ☐ Urogenital Culture site(s): ☐ GC Culture site(s): ☐ RPR ☐ Herpes ☐ HIV ☐ Chlamydia Culture site(s) 	/		
3. Pregnancy Prophylaxis	Plan B® 1.5mg PO now Presumptive prophylaxis is administered to post-pubescent patients only	<u>1330/SM</u>		
4. STI Prophylaxis	☐ Ceftriaxone (Rocephin®) 250mg IM now (If no allergies to cephalosporins or PCN)	<u>1330/SM</u>		
	Azithromycin (Zithromax®) 1GM PO now	1330/ <u>SM</u>		
	(If no allergies to erythromycin or macrolides)☐ Metronidazole (Flagyl®) 2GM PO now	/		
	(If no allergies to metronidazole, no alcohol use within 24 hours and not in the first trimester of of pregnancy)			
5. Prescription	Fill prescription and take medication as directed for:			
	☐ Zithromax® 250mg tablets. Take four (4) tablets at one time	/		
	☐ Cefixime® one (1)400mg tablet	/		
		<u>1330/SM</u>		
	☐ Plan B® 1.5mg Take as soon as possible	/		
6. Antiemetic	☐ Phenergan® 25mg PO now	/		
7. Pain/Discomfort	☐ Tylenol® 325mg Two (2) tablets now for pain/discomfort			
8. Tetanus	☐ Tdap 0.5cc IM			
9. Other		/		
Traumatic Brain Inju Screening	ıry			
Behavioral Health Co Screening	risis Yes	<u>1240/SM</u>		
Sexual Exploitation Screening	Yes	<u>1240/SM</u>		

Discharge Plan	Stable for discharge with aftercare instructions	<u>1345</u> / <u>SM</u>
Diagnosis	Sexual assault by history	<u>1321/SM</u>
		/
		DN
	Dr. Charles Finch, D.O.	_RN